



PeeringDB

PeeringDB Operations & Product Update

Arnold Nipper
arnold@peeringdb.com

What is PeeringDB?

PeeringDB is a freely available, user-maintained, **database of networks**, and the go-to location for interconnection data. It facilitates the global interconnection of networks at **IXPs**, **data centers**, and **other interconnection facilities**. It is the first stop in making interconnection decisions.



Committees

Admin Committee

- Manage administration of user accounts and PeeringDB records
- Answer support tickets
- Cleansing and completion of PeeringDB records

Leads: Patrick Gilmore (Chair)
Contact: admincom@lists.peeringdb.com

Operations Committee

- Manage PeeringDB infrastructure

Leads: Job Snijders (Chair) and Aaron Hughes (Vice Chair)
Contact: pdb-ops@lists.peeringdb.com

Outreach Committee

- Manage marketing and social media
- Develop and maintain presentations, workshops and webinars
- Coordinate presentations and attendance at events

Leads: Ben Ryall (Chair) and Bijal Sanghani (Vice Chair)
Contact: outreachcom@lists.peeringdb.com

Product Committee



- Manage roadmap and development priorities
- Ask for input from the community on desired features
- Write SoWs to solicit bids to complete requested features

Leads: Stephen McManus (Chair) and Matt Griswold (Vice Chair)
Product Manager: Leo Vegoda
Contact: productcom@lists.peeringdb.com

We are looking for volunteers

- For Admin Committee
 - who speak languages other than English
- For Outreach Committee
 - Folks with marketing experience are highly welcome
- For Operations Committee
 - Small and highly trusted
 - Experience with containers is a plus
- **Apply to stewards@lists.peeringdb.com**

Support Ticket Statistics



- Admin Committee volunteers are based around the world in a variety of time zones with diverse language skills
- Goal is to resolve support tickets within 24 hours

Recent Volunteer Contributions

- Focus on volunteer contributions
- Security changes from Amazon
- UX changes from Google
- Various other changes from individuals

HOWTO: Get Started with Developing for PeeringDB

Technology

We use Python with Django and MySQL. Django manages interaction with the database. We publish all our code on GitHub. We have documented how to set up our development environment.

What to develop

PeeringDB users can request features and report bugs by creating issues on GitHub. Review open issues to either find a project you'd like to work on, or to see if there's an existing issue for the feature you want.

If you want to develop a feature that has not been discussed on GitHub, you should either create an issue or contact us to discuss what you need. You can send a message to productcom@lists.peeringdb.com or contact any of the members of the Product Committee.

If you want to develop code for an issue that has achieved consensus on GitHub, we suggest starting with issues labeled as Good first issue. These are simple issues that will help you get a feel for PeeringDB.

Style


Before you start developing code look at how similar functions have been implemented. Use the same design as existing functions and develop unit tests for your code. We aim for 80% unit test coverage. You also need to run black on your code before submitting a Pull Request. We use black to ensure that all of our code has the same formatting. Reusing designs, developing unit tests, and using consistent formatting makes it easier for us to maintain the code over time.

We keep the feature parity between the web interface and the API. A feature added to one needs to be added to the other.

The implementation details documented in issues should be detailed enough to use as documentation for the web interface. Documentation is also needed for the API. The minimum we need for API documentation is an example of how to format the request and a pointer to the document section to update.

Recent Product Improvements

- Better support tools
- Better IX-F Export handling
- Networks peering with Route Servers now more visible
- Organizational policy features allow to require your users to:
 - Enable MFA
 - Use a specific email domain
 - Periodically revalidate their accounts
- And users can associate multiple addresses with an account



Peers at this Exchange Point					
Filter					
Peer Name ↓	IPv4	ASN	IPv6	Speed	Policy
Akamai Technologies	195.66.246.28	20940	2001:7f8:4:3::51cc:1	20G	Open
BBC	195.66.246.25	2818	2001:7f8:4:3::b02:1	10G	Open
BORDERLINK	195.66.246.200	205847	2001:7f8:4:3:0:3:2417:1	10G	Open
BORDERLINK	195.66.246.60	205847	2001:7f8:4:3:0:3:2417:2	10G	Open
Brightsolid	195.66.246.5	5564	2001:7f8:4:3::15bc:1	1G	Open
Broadband for the Rural North (B4RN)	2001:7f8:4:3::e3a1:1	58273	195.66.246.26	10G	Open
BSO	195.66.246.9	4455	2001:7f8:4:3::1167:1	1G	Open
Capita Networking Solutions (Updata)	2001:7f8:4:3::c95f:1	51551	195.66.246.4	1G	Open
Chess	195.66.246.14	5500		1G	Open
CityFibre	195.66.246.11	8468	2001:7f8:4:3::2114:1	10G	Selective
Cloudflare	195.66.246.27	13335	2001:7f8:4:3::3417:1	10G	Open

General Updates


- <https://www.peeringdb.com> is enforced (2.35.0)
- Please check your scripts (e.g. -L for curl)
- Enables better delivery via CDNs
- Lots of bug fixes and small features
 - Users especially like the logo feature
 - Various counters for fac, ix and net objects
 - Updated fields allow for easy tracking of changes
 - netixlan_updated
 - netfac_updated
 - poc_updated

Authentication Changes

- API keys (2.26.0)
 - 256-bit random number, base-62 encoded
 - On org level (additional tabs)
 - Needs an email associated with it (ideally role-account)
 - Can be created by any Admin
 - Same granular (CRUD) permissions as users
 - On user level
 - HOWTO: https://docs.peeringdb.com/howto/api_keys/
- Substantially rate-limit unauthenticated API queries (2.34.0)
 - Wild running scripts
 - Bad code
 - See [tech-list](#) for details
 - HOWTO: https://docs.peeringdb.com/howto/work_within_peeringdbs_query_limits/

Account Security

- Two-factor authentication (2FA) (2.21.0)
 - Using time-based one-time password (TOTP) - no SMS, no email
 - Setup via User Profile
 - Highly recommended
 - Provision for backup codes and recovery tokens
- Fast Identity Online (FIDO) Universal 2nd Factor (U2F) 2FA support (2.33.0)
 - Allowing users to enable 2FA without relying on a TOTP app
- HOWTO: <https://docs.peeringdb.com/howto/authenticate/>



Self-Selection Fields – Exchanges (2.27.0)

- Service Level
 - Best Effort (no SLA)
 - Normal Business Hours
 - 24/7 Support
 - Not Disclosed (default)
- Terms
 - No Commercial Terms
 - Bundled with other Services
 - NRC only
 - Recurring Fees
 - Not Disclosed (default)

SIX Seattle

Peers **355** Connections **409** Open Peers **244** Total Speed **16.0T** % with IPv6 **89**

Organization	Seattle Internet Exchange
Also Known As	
Long Name	Seattle Internet Exchange (MTU 1500)
City	Seattle
Country	US
Continental Region	North America
Media Type	Ethernet
Service Level	24/7 Support
Terms	Non-recurring Fees Only
Last Updated	2021-05-27T00:08:55Z
Notes	SIX port fees: <ul style="list-style-type: none">• 100G: \$7.5k NRC, no MRC• 10G: \$1.5k NRC, no MRC• 1G: \$100 NRC, no MRC Translate »

Peers at this E

Peer Name ↓
IPv4

[AARNet](#)

2001:504:16::1d

[Accel Net](#)
206.81.81.240

[Access Communications operative](#)

[Acronis US](#)

[Adobe Systems](#)
206.81.81.13

[Adobe Systems](#)
206.81.81.14

[Advanced Communications Technology](#)

Self-Selection Fields – Facilities (2.30.0)

- Property
 - Lessee
 - Owner
 - Not Disclosed (default)
- Diverse Serving Substations
 - Yes
 - No
 - Not Disclosed (default)
- Available Voltage Services
 - 48 VDC
 - 120 VAC
 - 208 VAC
 - 240 VAC
 - 480 VAC

NP-FIXXX	
Last Updated	2022-04-20T20:03:43Z
Notes ?	
	
Technical Email	support@aubix.net
Technical Phone ?	
Sales Email	sales@aubix.net
Sales Phone ?	
Property ?	Owner
Diverse Serving Substations ?	Yes
Available Voltage Services ?	208 VAC
Health Check	

Searching

- Improvement from NANOG 83 Hackathon (2.33.0)
- Searching for numbers return the most relevant results
- Searching for a short ASN returns just that ASN
- Searching for two segments of an IP address return related ix and netixlan objects
- HOWTO: <https://docs.peeringdb.com/howto/search/>

Searching – Facilities

- The address is mapped to coordinates
 - Search a radius from any location
 - Filter searches on criteria
 - Export as JSON or CSV
- Additional information
 - Property Ownership
 - Redundancy
 - Power Provided

www.peeringdb.com/advanced_search

Exchanges Networks **Facilities** Organizations

Name

Address

City/ State/ Postal

Country (ctrl/cmd click to select multiple)
Antarctica
Antigua and Barbuda
Argentina
Armenia
Aruba
Australia

Continental Region (ctrl/cmd click to select multiple)
North America
Asia Pacific
Europe
South America
Africa
Australia

Within Distance km

Management

CLLI

NPA-NXX

Property

Diverse Serving Substations

Available Voltage Services
48 VDC
120 VAC
208 VAC
240 VAC
480 VAC

Network Presence

My organization presence (ctrl/cmd click to select multiple)

Name	CLLI NPA-NXX	City Country	State Postal Code	Networks
AAPT Brisbane AAPT (TNZA)	-	Brisbane AU	QL 4000	1
Christie Systems DC1 Christie Systems Services	-	Brisbane AU	Queensland 4000	1
NEXTDC B1 NEXTDC	-	Brisbane AU	QL -	78
Over the Wire - 24 Little Edward Over The Wire Pty Ltd	-	Spring Hill AU	QLD 4200	0
PIPE Networks Brisbane PIPE Networks	-	BRISBANE AU	QL 4000	13
Rail Centre 1 QR - Rail Centre 1	-	Brisbane AU	QL 4000	0

Searching – Exchanges

- Filter searches on criteria
- Export as JSON or CSV
- Additional information
 - Service Level
 - Terms
 - Network Presence

Exchanges Networks Facilities Organizations

Name

City

Country (ctrl/cmd click to select multiple)

Continental Region (ctrl/cmd click to select multiple)

Organization

IP Block

Capacity

Media Type (ctrl/cmd click to select multiple)

Service Level (ctrl/cmd click to select multiple)

Terms (ctrl/cmd click to select multiple)

Network Presence

My organization presence (ctrl/cmd click to select multiple)

Name	Media Type	Country	City	Network...
DE-CIX Frankfurt Platinum Sponsor	Ethernet	DE	Frankfurt	967

Documentation Updates

- Started series of HOWTOs
 - <https://docs.peeringdb.com/howtos/>
- Regular blogs on new features
 - <https://docs.peeringdb.com/blogs/>
- Announced on social media
- See also our [2022 Product Report](#)

Create entries

- [Get Started with PeeringDB as a Exchange Operator](#)
- [Get Started with PeeringDB as a Facility Operator](#)
- [Get Started with PeeringDB as a Network Operator](#)

Manage entries

- [Manage Organizational Policy](#)
- [Manage User Permissions](#)

Search

- [Get Started with Search in PeeringDB](#)
- [Work Within PeeringDB's Query Limits](#)

Authentication and security


- [Authenticate to PeeringDB](#)
- [Get Started with API Keys](#)
- [Report a Security Issue](#)

Other

- [Get Started with Developing for PeeringDB](#)
- [Setup a PeeringDB Development Environment](#)
- [What is AS112?](#)

2022 User Survey

- Our 2022 user survey was done in October
- Available in 6 UN languages, Portuguese & Ukrainian
- Blog is here (<https://t1p.de/8bnvn>)



New Object “Carrier”

- New pillar of data besides net|work, fac|ility and ix
- A “Carrier” provides high capacity L1/L2 links between facilities.
- API: carrier and carrierfac
- A carrier presence in a facility must be approved by a facility admin

New Object “Carrier”

- Add a carrier object via your organization “Manage” section
- Add a presence via the carrier object
- Introduced in 2.43.0
- See also the [blog](#) about the carrier object

Arvig Enterprises Inc.

Also Known As	
Long Name	
Website	https://www.arvig.com/
Address 1	150 2nd Street SW
Address 2	
Floor	
Suite	
Location	Perham, MN, 56573
Country Code	US
Geocode	<i>Geocode data for this entity could not be obtained at this point. This is done automatically upon address field changes.</i>
Last Updated	2019-07-08T18:35:40Z
Notes ?	
Logo ?	

Edit

Facilities

Filter

Name ↓	Country	City
--------	---------	------

No filter matches.
You may filter by **Name**, **Country** or **City**.

Networks

Filter

Name ↓	ASN
Arvig	16904

Exchanges

Filter

Name ↓	Country	City
--------	---------	------

No filter matches.
You may filter by **Name**, **Country** or **City**.

Carriers

Filter

Name ↓
Arvig

Campuses

Filter

Name ↓

No filter matches.
You may filter by **Name**.

New Object “Campus”

- The campus object allows to structure two or more facilities
 - Not well defined in terms of size
 - All facilities should be interconnectable with “cheap” interconnections
 - All facilities must belong to the same owner
- API: campus
- A campus is only shown with at least two members
- Add a campus object via your organization “Manage” section



What's ahead?

- Regular updates with [small features and bug fixes](#), carrier and campus object already implemented
- Improve searching, both for GUI and API
- Finalize tasks from [Data Ownership Task Force](#)
 - Automatically remove stale connections to an IX
- Automate Networks, IXPs, Facilities, and Carriers according to the latest [Guidelines and Criteria](#)
- Published release schedule on the Release Notes page

Release number	Internal testing	Beta release	Production release
2.44.0	2023-02-01	2023-02-15	2023-02-22
2.45.0	2023-03-08	2023-03-15	2023-03-22
2.46.0	2023-04-05	2023-04-12	2023-04-19
2.47.0	2023-05-10	2023-05-17	2023-05-25
2.48.0	2023-06-XX	2023-06-YY	2023-06-ZZ

Thank you to our sponsors!

Diamond
Sponsor



Microsoft

Platinum
Sponsors



Meta

YAHOO!

Gold
Sponsors



edgeuno




DIGITAL REALTY



TELEHOUSE



Silver
Sponsors



NEWBY VENTURES



NIX.CZ



NYIIX



STACLAR



QIX



RIPE NCC



zenlayer



PeeringDB

Questions?

Need help? Contact support@peeringdb.com

Got a feature idea? Contact productcom@lists.peeringdb.com